

ROUTING AND RECORD SHEET

SUBJECT: (Optional)

FILE

Printing & Reproduction

Proposed Publication of Research Report

FROM:

PSS/OMS
Rm. 412
1000 Glebe

EXTENSION

NO.

DD/S 71-2129

DATE

11 May 1971

STAT

TO: (Officer designation, room number, and building)

DATE

RECEIVED

FORWARDED

OFFICER'S INITIALS

COMMENTS (Number each comment to show from whom to whom. Draw a line across column after each comment.)

1. C/PSS/OMS
1000 Glebe

26 MAY 71

[Signature]

I have reviewed the attached research report and I find it consistent with the policy guidance governing unofficial open publication by CIA employees as set forth in

STAT

2.

3.

4.

5.

6.

7.

Publication of this report in the journal cited would constitute a significant contribution to the literature in this field. It is also a good example of the type of test validation research called for by the guidelines issued by the Equal Opportunity Commission and affirmed by a recent Supreme Court ruling. / 3 17

STAT

8. D/MS
1D-4061 Hqs.

26 MAY 1971

26 MAY 1971

C/PSS/OMS
#8 - Recommend approval.

STAT

9. Deputy Director for Support - 7D-26 Hqs.

10. Director of Security
4E-60 Hqs.

2 June 71

[Signature]

to 10 and 11 and back to 12 for approval

11. Asst to the Director
1F-04 Hqs.

4 June 71

[Signature]

DD/S Distribution:
Orig - DMS w/Orig of DD/S 71-2129
1 - DD/S Chrono
1 - DD/S Subject w/cy of 71-2129

STAT

12. Deputy Director for Support
Rm 7D18, Hqs

9 JUN 1971

App

[Signature]

STAT

13. Director of Medical Services
Rm 1D4060, Hqs

Robert S. Wattles
Assistant Deputy Director
for Support

14.

15.

11 May 1971

MEMORANDUM FOR: Director of Medical Services
THROUGH : Chief, Psychological Services Staff
SUBJECT : Proposed Publication of Research
Report

1. Attached is a copy of a research report I would like to submit for publication to Personnel Psychology, a journal of applied research in psychology. Subject to your approval, it will be formally submitted to the Office of Security and to the Assistant to the DCI for their approval.

2. The attached report details the first validation study of a widely-used test designed to select computer programmers. Specifically, the study demonstrated that the AABP test (Aptitude Assessment Battery: Programming) is significantly predictive of both training and job performance of programmers. It is believed that these findings will be of interest to all who use this test, as well as to those who have considered its use but are reluctant to do so without some evidence of its efficacy as a measure of programming aptitude.

3. Thank you very much for your consideration of this report.

25X1

Acting Chief, Research Branch
Psychological Services Staff
Office of Medical Services

SECRET

GROUP 1
Excluded from automatic
downgrading and
declassification

SECRET

28 May 1971

NOTE FOR: Mr. Coffey via Mr. Wattles via



Recommend your approval. Validation studies were undertaken at the request, and with the cooperation of OCS.

There is a credit in footnote for the Chief of the OCS Training Program.



SECRET

1 June 71

Approved For Release 2003/04/29 : CIA-RDP84-00780R004200230003-0

Mr. W. -

Even though para 1 of the attached does not indicate it, this appears to be the "formal" request for approval.

If you agree, I will add a "DD/S approval" line. Also, although Dr. Tietjen's "recommendation" is on the RS, I would think the approval might be more appropriate on Dr. [] memo????

p.

I have attached a cy of [] for your ref.

Approved For Release 2003/04/29 : CIA-RDP84-00780R004200230003-0

SECRET

11 May 1971

MEMORANDUM FOR: Director of Medical Services
THROUGH : Chief, Psychological Services Staff
SUBJECT : Proposed Publication of Research Report

1. Attached is a copy of a research report I would like to submit for publication to Personnel Psychology, a journal of applied research in psychology. Subject to your approval, it will be formally submitted to the Office of Security and to the Assistant to the DCI for their approval.


2. The attached report details the first validation study of a widely-used test designed to select computer programmers. Specifically, the study demonstrated that the AABP test (Aptitude Assessment Battery: Programming) is significantly predictive of both training and job performance of programmers. It is believed that these findings will be of interest to all who use this test, as well as to those who have considered its use but are reluctant to do so without some evidence of its efficacy as a measure of programming aptitude.

3. Thank you very much for your consideration of this report.

Acting Chief, Research Branch
Psychological Services Staff
Office of Medical Services


25X1

SECRET



PREDICTION OF COMPUTER PROGRAMMER TRAINING
AND JOB PERFORMANCE USING THE AABP TEST¹

STAT


Central Intelligence Agency

The rapid growth of the field of computer programming in the past ten years has generated a need to identify individuals with the talents to profit from training and become productive programmers. This need for early identification of potential programmers has been approached in two main ways by personnel psychologists: 1) creation of special tests designed to measure the specific aptitudes believed essential to computer programming, and 2) application of pre-existing tests. Unfortunately, the number of published validation studies which have resulted from the use of both types of tests seems disproportionately small in relation to the massive use of these tests as programmer selection devices for government, industry, and specialized training schools.

Of the several aptitude tests specifically designed to select potential programmers, various versions of the IBM Programmers Aptitude Test have been most frequently subjected to controlled validity studies. In nearly all instances, these studies reported relationships between test scores and training performance. Significant correlations


STAT

2

between the Programmers Aptitude Test and programmer training have been reported by McNamara and Hughes (1961), Oliver and Willis (1963), Katz (1964), Hollenbeck and McNamara (1965) and Bauer, Mehrens, and Vinsonhaler (1968). Of these studies, only McNamara and Hughes (1961) conducted research relating test scores to actual job performance; they reported correlations of .44 and .36 between Programmers Aptitude Test Scores and supervisors' ratings of job performance.

Other specially-designed aptitude tests have shown at least some promise for predicting programmer training performance, including the Logical Analysis Device (McNamara and Hughes, 1961), the Computer Usage Company Programmer Aptitude Test (Hollenbeck and McNamara, 1965) and the Computer Programmer Aptitude Battery (Perry, 1967a). More general purpose tests which have been successfully used to predict programmer training performance include the Army's General Technical Aptitude Area (Katz, 1962), the Wonderlic Personnel Test (Biamonte, 1965), the mathematics test from the Navy Officer Classification Battery (Myer, 1965), the College Qualification Test (Bauer, Mehrens and Vinsonhaler, 1968) and the Strong Vocational Interest Blank (Bauer, Mehrens and Vinsonhaler, 1968). As with the IBM Programmers Aptitude Test, reports of relationships between test and job performance for these other tests are considerably scarcer.

STAT



3

Seiler (1965) reported correlations ranging from .35 to .62 between supervisor's ratings of workers in electronic data processing jobs and combinations of three or more tests from the General Aptitude Test Battery, and Perry (1967b) found that an occupational key constructed using SVIB procedures was related to job satisfaction but not to relative salary of computer programmers.

One widely-used test of programming aptitude -- the Aptitude Assessment Battery: Programming (AABP) -- is absent in the validity literature. Despite its lack of published validity research, its author claims that it has been administered to over 3600 persons in 23 different companies, institutions and government agencies (Wolfe, 1970). According to the brochure published by Programming Specialists, Incorporated, which describes the AABP, it is an untimed test which attempts to evaluate the applicant's aptitude for protracted concentration on a long sequence of steps. Both the process of problem-solving as well as the answers to the items form the basis for evaluating individual performance. The scoring and interpretation of the AABP is typically performed by the distributor of the test.

The purpose of the present paper is to report the relationships between programmer aptitude as measured by the AABP and both the training and job performance of computer

STAT

4

programmers in a ~~large~~ governmental agency. It is anticipated that these results will be of interest to those who are using this test without benefit of any validity data, as well as to those who may be considering its use but are reluctant to do so without some evidence of its efficacy as a measure of programming aptitude.

Method

Measurement of Training Performance

Ninety-three students, 71 men and 22 women, from seven runnings of an inhouse computer programming course were selected for study. The average age of these students was 28 years, with a range in age from 20 to 52. 4% had earned advanced degrees, 46% possessed undergraduate degrees, 24% had some college experience and 12% had attended one or more business or technical schools; the remainder were high school graduates. The course, which was 15 weeks in length, was designed to produce professional programmers capable of writing programs in both PL/1 and ALC programming languages. Evaluation of students in these classes was based upon weekly tests (which accounted for about 70% of the students' grades) and evaluation of the programs written by the students (which accounted for the remaining 30%). Based upon their total grades, students were given a rank representing their final standing among the graduates in their class.

The

STAT

5

The AABP was administered to the 93 students prior to their admission to the programming course. Not all students in the seven training classes took the AABP; 35 persons who completed the course had not taken this test. While the test results entered into the selection decision for many of the students in this course, these results were not known by the instructors who taught and evaluated the students.

Measurement of Programming Performance

A total of 57 programmers, 36 men and 21 women, were included in this portion of the study; none of these people were present in the training sample described above. The average age of this group was 25 years, with a range in age from 20 to 50. The number of months of programming experience of individuals in this group ranged from 1-78 with an average of slightly over 15 months. A variety of programming languages was used by these programmers in their daily work, with Fortran being most commonly used followed by PL/1, Cobol and ALC. Each subject was rated by his immediate supervisor on job performance as a programmer, future programming potential, potential for systems analysis and potential for management. All ratings were made on a 7-point, modified "letter-grade" scale, with ratings ranging from A through F. Two additional categories ("Between A and B" and "Between B and C") were added in an attempt to expand the variance of the

STAT

6

ratings. In nearly all cases, the programmers were rated before they were tested; thus this portion of the study was a test of the concurrent validity of the AABP.

Results

Training Performance

For each of the seven programming classes, the class rank standings assigned to the members of each class were normalized according to the normalized-rank method (Guilford, 1954). This score transformation was utilized since rankings form a perfectly rectangular distribution; a normalized distribution of rankings is more likely to approximate the real distribution of performances among members of a class. Table 1 presents the correlations between AABP scores and normalized class ranks for each of the seven programming classes. Correlations ranged from .33 to .66 with a median of .44. When all classes were combined, the correlation between AABP numerical scores and normalized class ranks was .40.

Insert Table 1 about here

When the AABP test is scored by its distributor, in addition to the numerical score a subjective adjectival rating is provided estimating the individual's overall potential for computer programming. This adjectival rating is highly related

STAT

7

to the numerical score on the AABP, although the rating takes into account additional subjective factors including the examinee's "method, conception and approach which ... may indicate sufficient superior aptitude to compensate for his lack of accuracy in the less challenging problems" (from the brochure of Programming Specialists, Incorporated, describing the AABP). That the adjectival rating is highly related but not completely equivalent to the numerical score is evidenced by a correlation of .94 between adjectival rating and numerical score for the overall training sample of 93 persons. Table 1 presents the correlations between these adjectival ratings and normalized class ranks for each of the seven programming classes, which range from .22 to .66 with a median of .44. When all classes were combined, the correlation between AABP adjectival ratings and normalized class ranks was .39, essentially the same as the .40 obtained with AABP numerical scores.

Table 2 presents the relationship between AABP adjectival ratings and performance in programming training in expectancy table form. Individuals in all seven classes were divided into two groups--those who finished in the upper half of their classes and those who finished in the lower half. At one extreme, 7 out of 9 of those with the highest ratings on the AABP finished in the top half of their classes, while at the other extreme, only 20% of those with the lowest ratings did so.

STAT

8

Inspection of Table 2 suggests that the AABP adjectival ratings were related to training outcomes in a manner consistent with the commonly-accepted meanings of these adjectives.

Insert Table 2 about here

Programming Performance

Table 3 presents the correlations between AABP results and supervisors' ratings of current performance and future potential for 57 programmers. Moderate-sized correlations, ranging from .40 to .46, were obtained between the AABP adjectival ratings and ratings of current job performance, programming potential, and systems analysis potential, with a smaller correlation (.30) emerging between the AABP and potential for management. Slightly smaller correlations were obtained between AABP numerical scores and ratings of job performance and potential, although in no instance was one of these correlations significantly smaller than the corresponding correlation between AABP adjectival ratings and ratings of job performance and potential.

Insert Table 3 about here

Discussion

The results of this study suggest that the AABP is a

STAT

9

reasonably effective device for selection of computer programmers. Using independent samples, AABP test scores correlated significantly with both programming training and job performance as a programmer. No real evidence was obtained supporting the tests distributor's implied hypothesis that AABP adjectival ratings, which take into account subjective factors not considered in the numerical scores, are superior predictors of training or job performance of programmers. Since the two types of scores are so highly correlated, and since they correlate about equally well with training and job performance, they would appear to be interchangeable.

Somewhat surprisingly, the AABP test was as highly related to job as to training performance. This finding is in contrast to the research reported for the IBM Programmers Aptitude Test which has produced correlations ranging from the .30's to the .50's and .60's with training performance (McNamara and Hughes, 1961; Katz, 1964; Hollenbeck and McNamara, 1965; Bauer, Mehrens and Vinsonhaler, 1968) but significantly lower relationships with actual job performance as a programmer (McNamara and Hughes, 1961). Since the correlations obtained in this study between the AABP and ratings of job performance and potential are comparable in size to those reported by McNamara and Hughes (1961), it may be tentatively concluded that AABP scores are as related to

STAT



10

performance as a programmer as are scores from the Programmers Aptitude Test. It should be mentioned again, however, that the present study was a test of the concurrent validity of the AABP with regard to job performance and potential; its predictive validity remains to be established. Meanwhile, the present study provided reassurance that the AABP -- a widely used test despite its previous lack of any published validity studies -- appears to be a reasonably valid measure of computer programming aptitude.

STAT

11

References

Biamonte, A. J. A study of the effect of attitudes on the learning of computer programming. In M. H. Gotterer (Ed.), Proceedings of the third annual computer research conference. Silver Spring, Md.: Computer Personnel Research Group, 1965. Pp.

Guilford, J. P. Psychometric methods. (2nd ed.) New York: McGraw-Hill, 1954.

Bauer, R., Mehrens, W. A., & Vinsonhaler, J. F. Predicting performance in a computer programming course. Educational and Psychological Measurement, 1968, 28, 1159-1166.

Hollenbeck, G. P., & McNamara, W. J. CUCPAT and programming aptitude. Personnel Psychology, 1965, 18, 101-106.

Katz, A. Prediction of success in automatic data processing course. U. S. Army Personnel Research Office Technical Note, 1962, No. 126.

McNamara, W. J., & Hughes, J. L. A review of research on the selection of computer programmers. Personnel Psychology, 1961, 14, 39-51.

Meyer, J. K. An experimental comparison of instructional techniques for use in teaching computer program flow chart design. USN PRA Technical Bulletin, 1965, No. 65-10.

Oliver, T. C., & Willis, W. K. A study of the validity of the programmer aptitude test. Educational and Psycholog-

1001 1100

STAT

12

ical Measurement, 1963, 23, 823-825.

Perry, D. K. Evaluation of tests for improvement of programmer trainee selection. SDC Technical Memorandum 3570, System Development Corporation, 1967 (a).

Perry, D. K. Vocational interests and success of computer programmers. Personnel Psychology, 1967, 20, 517-524 (b).

Sailer, J. Abilities for ADP occupations. In M. H. Gotterer (Ed.), Proceedings of the third annual computer research conference. Silver Spring, Md.: Computer Personnel Research Group, 1965.


Wolfe, J. M. A new look at programming aptitudes. Business Automation, 1970, , 36-45.

STAT





13

Footnotes

¹The views expressed in this article are those of the author and do not necessarily reflect an official position of the Central Intelligence Agency. The author gratefully acknowledges the assistance of Mr.  who provided training performance information used in the study.

STAT

²Requests for reprints should be sent to 
 Central Intelligence Agency, Washington, D.C. 20505.

STAT

STAT

STAT

14

Table 1

Correlations Between AABP Scores and Normalized
Class Ranks in Seven Programming Classes^a

Class	N ^a	r with AABP Numerical Score	r with AABP Adjectival Rating
1	12	.35	.53
2	16	.45	.40
3	20	.66**	.66**
4	9	.33	.22
5	21	.44*	.41
6	5	.44	.56
7	9	.34	.44
All Classes	93	.40**	.39

Note.--For the total sample, mean AABP numerical score was 78.2 with a standard deviation of 14.5.

^aFor most classes, the actual number of students was larger than these N's, which represent the number of students in each class who had taken the AABP.

**p<.01

* p<.05

STAT

15

Table 2

Relationship Between AABP Adjectival Ratings and
Instructors' Rankings in Programming Courses

Adjectival Rating	N	Percent in Upper Half of Class	Percent in Lower Half of Class
Outstanding, Excellent, Very High	9	78	22
High, Above Average	25	68	32
Average, Satisfactory S	39	49	51
Limited use, Below Average, Low	20	20	80
Totals	93	51	49

STAT

16

Table 3

Correlations Between AABP Scores and Supervisors'
Ratings of Performance and Potential
for 57 Programmers

Rating	N ^a	r with AABP Adjectival Rating	r with AABP Numerical Score
Current Job Performance	57	.40**	.34**
Programming Potential	56	.41**	.33**
System Analysis Potential	56	.46**	.38**
Management Potential	50	.30*	.27

Note.--For the total sample, mean AABP score was 81.4 with a standard deviation of 15.1.

^aSome supervisors declined to rate individuals on all dimensions.

**p<.01

* p<.05

requests to publish should come to D/S through Centraf Com, Security, and Asst to the Director.

Mr. [] recalls that D/S has issued separate instructions requesting that they come here first. [] will check his records to see if he can substantiate this.

Will you see if you can find out here what the precedents have been and if there is an instruction of that sort?

Will do the same as in the past. To D/S & A-DCI & back here for approval.